

basiflex

Informação sobre

# compatibilidades

ANEXO I

com o material dos frascos Basiflex®

Os frascos Basiflex® são constituídos por polipropileno, um polímero quimicamente inerte e toxicologicamente seguro.

O polipropileno é um material flexível, mas ao mesmo tempo resistente, que oferece excelente compatibilidade com os fármacos intravenosos mais comumente utilizados nos hospitais, minimizando assim o risco de interações.

Com um design ergonómico, estes frascos estão disponíveis em diferentes tamanhos (50 ml - 1000 ml) e com elevados volumes para a adição de medicamentos, de forma a responder às necessidades clínicas de cada doente.

A seguinte lista apresenta os fármacos para os quais há evidências, quer na literatura ou em estudos internos, de compatibilidade com o material dos frascos Basiflex®, o polipropileno. **Em caso de dúvida, recomenda-se contactar o titular da autorização de introdução no mercado do medicamento a ser adicionado.**

## FÁRMACOS

### **A** Acetato de metilprednisolona<sup>(1)</sup>

Acetazolamida<sup>(2)</sup>

Aciclovir<sup>(3)</sup>

Ácido ascórbico<sup>(4)</sup>

Ácido clodrónico<sup>(5)</sup>

Ácido fólico<sup>(6)</sup>

Adenosina<sup>(7) (8)</sup>

Alemtuzumab<sup>(9) (10)</sup>

Amicacina<sup>(11)</sup>

Aminofilina<sup>(2)</sup>

Amiodarona<sup>(12) (13)</sup>

Amoxicilina<sup>(2) (14)</sup>

Amoxicilina + ácido clavulânico<sup>(15)</sup>

Ampicilina<sup>(2) (16)</sup>

Anfotericina<sup>(17)</sup>

Aztreonam<sup>(18)</sup>

### **B** Bendamustina<sup>(19)</sup>

Bevacizumab<sup>(20) (21)</sup>

Bitartarato de noradrenalina<sup>(22)</sup>

Brometo de vecurónio<sup>(23)</sup>

Bupivacaína<sup>(24) (25)</sup>

Bupivacaína + Fentanilo<sup>(26)</sup>

Bussulfano<sup>(27) (28)</sup>

### **C** Calcitriol<sup>(29)</sup>

Carboplatina<sup>(30) (31)</sup>

Carmustina<sup>(32)</sup>

Cefazolina<sup>(33) (34)</sup>

Cefepima<sup>(35) (36)</sup>

Cefotaxima<sup>(37)</sup>

Ceftazidima<sup>(38) (39)</sup>

Ceftriaxona<sup>(40)</sup>

Cefuroxima<sup>(41) (42) (43)</sup>

Cetorolac<sup>(44)</sup>

Ciclofosfamida<sup>(45)</sup>

Ciclosporina<sup>(46)</sup>

Cidofovir<sup>(47)</sup>

Cimetidina<sup>(48)</sup>

Ciprofloxacina<sup>(49)</sup>

Cisplatina<sup>(50) (51)</sup>

Clindamicina<sup>(18) (52)</sup>

Clofarabina<sup>(53)</sup>

Cloreto de suxametónio<sup>(54)</sup>

Cloridrato de cetamina<sup>(55) (56)</sup>

Cloridrato de levobupivacaína<sup>(57) (58)</sup>

Cloridrato de remifentanilo<sup>(59)</sup>

Cloridrato de tramadol<sup>(60)</sup>

Cloridrato de tropisetrom<sup>(61) (62)</sup>

Cloropromazina<sup>(63) (64)</sup>

Cloroquina<sup>(65) (66)</sup>

### **D** Daunorrubicina<sup>(67)</sup>

Dexametasona<sup>(68) (69)</sup>

Diazepam<sup>(70) (71)</sup>

Dicloxacilina<sup>(72)</sup>

Diltiazem<sup>(73)</sup>

Dinitrato de isossorbida<sup>(74) (75)</sup>

Dobutamina<sup>(76)</sup>

Docetaxel<sup>(77)</sup>

Dopamina<sup>(78)</sup>

Doxorrubicina<sup>(67) (79)</sup>

Droperidol<sup>(80)</sup>

### **E** Epirubicina<sup>(67) (81)</sup>

Eribulina<sup>(82) (83)</sup>

Esomeprazol<sup>(84)</sup>

Etoposido<sup>(85)</sup>

### **F** Fentanilo<sup>(86) (87)</sup>

Fentolamina<sup>(88)</sup>

Flucloxacilina<sup>(2)</sup>

Fluconazol<sup>(49)</sup>

Fluorouracilo<sup>(2)(89)</sup>

Fosfenitoína<sup>(90)</sup>

**G** Ganciclovir<sup>(91)</sup>

Gentamicina<sup>(111)</sup>

Granisetrom<sup>(92)(93)(94)</sup>

**H** Heparina<sup>(95)(96)</sup>

Hidrocortisona<sup>(97)(98)</sup>

**I** Insulina<sup>(99)(100)</sup>

Interferão alfa-2b<sup>(101)</sup>

Irinotecano<sup>(102)</sup>

**L** Levofloxacina<sup>(49)</sup>

Lidocaína<sup>(103)(104)</sup>

Lorazepam<sup>(105)(106)</sup>

**M** Melfalano<sup>(107)</sup>

Meropenem<sup>(14)</sup>

Mesna<sup>(108)</sup>

Metoclopramida<sup>(109)(110)</sup>

Metotrexato<sup>(111)</sup>

Metronidazol<sup>(49)</sup>

Midazolam<sup>(112)(113)(114)</sup>

Milrinona<sup>(115)</sup>

Mitomicina<sup>(116)</sup>

Mitoxantrona<sup>(117)</sup>

Morfina<sup>(87)(118)</sup>

Moxifloxacina<sup>(119)</sup>

**N** Nitrogliclerina<sup>(120)(121)</sup>

Nitroprussiato<sup>(122)</sup>

**O** Octreótido<sup>(123)</sup>

Ondansetrom<sup>(124)</sup>

Oxaliplatina<sup>(125)</sup>

Oxitocina<sup>(126)</sup>

**P** Paclitaxel<sup>(127)(128)(129)</sup>

Pantoprazol<sup>(130)</sup>

Paracetamol<sup>(131)</sup>

Pemetrexedo<sup>(132)</sup>

Petidina<sup>(133)</sup>

Piperacilina<sup>(134)(135)</sup>

Piperacilina + Tazobactam<sup>(136)(137)</sup>

Piridoxina<sup>(138)</sup>

Prometazina<sup>(71)</sup>

Propofol<sup>(139)(140)(141)</sup>

Propranolo|<sup>(142)</sup>

**R** Ranitidina<sup>(143)</sup>

Rituximab<sup>(144)(145)</sup>

Ropivacaína<sup>(146)(147)</sup>

**S** Succinato sódico de

metilprednisolona<sup>(148)</sup>

Sufentanilo<sup>(149)(150)</sup>

Sulfametoxazol + Trimetoprim<sup>(2)(151)</sup>

Sulfato de magnésio<sup>(152)(153)</sup>

**T** Tacrolímus<sup>(154)(155)(156)</sup>

Temsirolímus<sup>(82)</sup>

Teniposido<sup>(157)</sup>

Tiamina<sup>(158)</sup>

Tiopental sódico<sup>(71)(141)</sup>

Tiotepa<sup>(159)</sup>

Tobramicina<sup>(2)(11)</sup>

Topotecano<sup>(160)</sup>

Tubocurarina<sup>(161)</sup>

**U** Uroquinase<sup>(162)</sup>

**V** Vancomicina<sup>(163)(164)</sup>

Varfarina<sup>(71)(165)</sup>

Vinblastina<sup>(166)(167)</sup>

## REFERÈNCIAS

1. Robustelli della Cuna FS, Mella M, Magistrali G, Ricci M, Losurdo A, Goglio AM. Stability and compatibility of methylprednisolone acetate and ropivacaine hydrochloride in polypropylene syringes for epidural administration. *Am J Health Syst Pharm*. 2001 Sep .
2. Kowaluk EA, Roberts MS, Polack AE. Interactions between drugs and intravenous delivery systems. *Am J Hosp Pharm*. 1982 Mar;39(3):460-7.
3. Ling J, Gupta VD. Stability of acyclovir sodium after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. *Int J Pharm Compd*. 2001 Jan-Feb;5(1):75-7.
4. Dupertuis YM, Ramseyer S, Fathi M, Pichard C. Assessment of Ascorbic Acid Stability in Different Multilayered Parenteral Nutrition Bags: Critical Influence of the Bag Wall Material. *Journal of Parenteral and Enteral Nutrition*, 29(2), 125-130.
5. Tchiakpé L, Airaudo CB, Abdelmalik OM, Gayte-Sorbier A, Verdier M, Guéri J. Stedim 6 and Clearflex, Two New Multilayer Materials for Infusion Containers. Comparative Study of Their Compatibility With Five Drugs Versus Glass Flasks and Polyvinyl Chloride Bags. *J Biomater Sci Polym Ed*, 1995;7(3):199-206.
6. Cadrobbi J, Hecq JD, Vanbeckbergen D, Jamart J, Galanti L. Long-term stability of sodium folinate in dextrose 5% polyolefin bags at 4degreesC. *J Oncol Pharm Pract*. 2007 Jun;13(2):99-103.
7. Ketkar VA, Kolling WM, Nardviriyakul N, Kamp KV, Wurster DE. Stability of Undiluted and Diluted Adenosine at Three Temperatures in Syringes and Bags. *Am J Health Syst Pharm*. 1998 Mar 1;55(5):466-70.
8. Almagambetova E, Hutchinson D, Blais DM, Zhao F. Stability of Diluted Adenosine Solutions in Polyolefin Infusion Bags. *Hosp. Pharm*. 2013 Jun;48(6):484-8.
9. Goldspiel JT, Goldspiel BR, Grimes GJ, Yuan P, Potti G. Stability of alemtuzumab solutions at room temperature. *American Journal of Health-System Pharmacy*, Volume 70, Issue 5, 1 March 2013, Pages 439–442. .
10. Kupfer M, Scriba G, Hartmann M. Stability of alemtuzumab in infusion-bags. *Pharmazie*. 2009;64(9):622-623.
11. Mitrzyk B, Jarco PE, Rybak MJ. Stability and antimicrobial activity of gentamicin sulfate, tobramycin sulfate and amikacin sulfate in polypropylene syringes for use in once-daily aminoglycoside therapy. *Am J Health Syst Pharm*. 1996 Dec 1;53(23):2855-9.
12. Closset M, Hecq JD, Soumoy L, Simar J, Gonzalez E, Charlet L, Declave C, Gillet P, Galanti L. Physical Stability of Highly Concentrated Injectable Drugs Solutions Used in Intensive Care Units. *Ann Pharm Fr*. 2017 May; 75(3):185-188.
13. Lardinois B, Dimitriou A, Delcave C, Jamart J, Bihin B, Soumoy L, Hecq JD, Galanti LM. Evaluation of the Physicochemical Stability of Amiodarone Hydrochloride in Syringes for the Intensive Care Unit. *Int J Pharm Compd*. Mar-Apr 2019;23(2):163-166.
14. Carlier M, Stove V, Verstraete AG, De Waele JJ. Stability of generic brands of meropenem reconstituted in isotonic saline. *Minerva Anesthesiol*. 2015 Mar;81(3):283-7.
15. Carlier M, Verstraete AG, Waele JJD, Stove V. Stability of amoxicillin and amoxicillin/clavulanic acid reconstituted in isotonic saline. *Journal of Chemotherapy*, 29(1), 54-56. .
16. Sylvestri MF, Makoid MC. Stability of ampicillin trihydrate suspension in amber plastic oral syringes. *Am J Hosp Pharm*. 1986 Jun;43(6):1496-8.
17. Groeschke J, Solassol I, Bressolle F, Pinguet F. Stability of Amphotericin B and Nystatin in Antifungal Mouthrinses Containing Sodium Hydrogen Carbonate. *J Pharm Biomed Anal*. 2006 Sep 26;42(3):362-6.
18. Marble DA, Bosso JA, Townsend RJ. . Compatibility of clindamycin phosphate with aztreonam in polypropylene syringes and with cefoperazone sodium, cefonicid sodium, and cefuroxime sodium in partial-fill glass bottles. *Drug Intell Clin Pharm*. 1988 Jan;22(1):54-7.
19. Vigneron J, D'Huart E, Demoré B. Stability of Bendamustine Solutions: Influence of Sodium Chloride Concentration, Temperature and Container. *Pharmaceutical Technology in Hospital Pharmacy*, 3(1), 13–21. 2018.
20. Khalili H, Sharma G, Froome A, Khaw PT, Brocchini S. Storage Stability of Bevacizumab in Polycarbonate and Polypropylene Syringes. *Eye (Lond)*. 2015 Jun;29(6):820-7.
21. Paul M, Vieillard V, Roumi E, Cauvin A, Despiau MC, Laurent M, Astier A. Long-term stability of bevacizumab repackaged in 1 mL polypropylene syringes for intravitreal administration. *Annales Pharmaceutiques Françaises*, 70(3), 139–154. 2012.
22. D'Huart E, Vigneron J, Clarot I, Demore B. Physicochemical stability of norepinephrine bitartrate in polypropylene syringes at high concentrations for intensive care units. *Ann Pharm Fr*. 2019 May;77(3):212-221. .
23. Johnson CE, Cober MP. Stability of vecuronium in sterile water for injection stored in polypropylene syringes for 21 days. *Am J Health Syst Pharm*. 2007 Nov 15;64(22):2356-8.
24. Alam MR. Spinal needle with prefilled syringe to prevent medication error: A proposal. *Indian J Anaesth*. 2016 Jul;60(7):525-7.
25. Jones JW, Davis AT. Stability of bupivacaine hydrochloride in polypropylene syringes. *Am J Hosp Pharm*. 1993 Nov;50(11):2364-5.
26. Kjønniksen I, Brustugun J, Niemi G, Breivik H, Anderssen E, Klem W. Stability of an epidural analgesic solution containing adrenaline, bupivacaine and fentanyl. *Acta Anaesthesiol Scand*. 2000 Aug;44(7):864-7.
27. Guichard N, Bonnabry P, Rudaz S, Fleury-Souverain S. Stability of Busulfan Solutions in Polypropylene Syringes and Infusion Bags as Determined With an Original Assay. *Am J Health Syst Pharm*. 2017 Nov 15;74(22):1887-1894.
28. Houot M, Poinsignon V, Mercier L, Valade C, Desmaris R, Lemare F, Paci A. Physico-chemical Stability of Busulfan in Injectable Solutions in Various Administration Packages. *Drugs R.D*. 2013 Mar;13(1):87-94.
29. Pecosky DA, Parasrampuria J, Li LC, Stelmach HA. Stability and Sorption of Calcitriol in Plastic Tuberculin Syringes. *Am J Hosp Pharm*, 1992 Jun;49(6):1463-6.
30. Prat J, Pujol M, Girona V, Muñoz M, Solé LA. Stability of carboplatin in 5% glucose solution in glass, polyethylene and polypropylene containers. *J Pharm Biomed Anal*. 1994 Jan;12(1):81-4.
31. Vázquez-Sánchez R, Sánchez-Rubio-Ferrández J, Córdoba-Díaz D, Córdoba-Díaz M, Molina-García T. Stability of carboplatin infusion solutions used in desensitization protocol. *J Oncol Pharm Pract*. 2019 Jul;25(5):1076-1081.
32. Trissel LA, Xu QA, Baker M. Drug compatibility with new polyolefin infusion solution containers. *Am J Health Syst Pharm*. 2006 Dec 1;63(23):2379-82.
33. Donnelly RF. Stability of cefazolin sodium in polypropylene syringes and polyvinylchloride minibags. *Can J Hosp Pharm*. 2011 Jul;64(4):241-5.

34. Gupta VD. Chemical stability of cefazolin sodium after reconstituting in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. *Int J Pharm Compd.* 2003 Mar-Apr;7(2):152-4.
35. Stewart JT, Maddox FC, Warren FW. Stability of Cefepime Hydrochloride in Polypropylene Syringes. *Am J Health Syst Pharm.* 1999 Jun 1;56(11):1134.
36. Ling J, Gupta VD. Stability of cefepime hydrochloride after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. *Int J Pharmaceut Compound* 2001;5:151-2.
37. Gupta VD. Stability of cefotaxime sodium after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. *Int J Pharm Compd.* 2002 May-Jun;6(3):234-6.
38. Stewart JT, Warren FW, Johnson SM, Fox JL, Mullaney J. Stability of ceftazidime in plastic syringes and glass vials under various storage conditions. *Am J Hosp Pharm.* 1992 Nov;49(11):2765-8.
39. Arsène M, Favetta P, Favier B, Bureau J. Comparison of ceftazidime degradation in glass bottles and plastic bags under various conditions. *J Clin Pharm Ther.* 2002 Jun;27(3):205-9.
40. Plumridge RJ, Rieck AM, Annus TP, Langton SR. Stability of ceftriaxone sodium reconstituted with lidocaine hydrochloride and stored in polypropylene syringes. *Am J Health Syst Pharm.* 1996 Oct 1;53(19):2323-5.
41. Feutry F, Simon N, Genay S, Lannoy D, Barthélémy C, Décaudin B, Labalette P, Odou P1. Stability of 10 mg/mL cefuroxime solution for intracameral injection in commonly used polypropylene syringes and new ready-to-use cyclic olefin copolymer sterile vials using the LC-UV stability-indicating method. *Drug Dev Ind Pharm.* 2016 Jan;42(1):166-174.
42. Gupta VD. Chemical stability of cefuroxime sodium after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. *Int J Pharm Compd.* 2003 Jul-Aug;7(4):310-2.
43. Vercheval C, Streele S, Servais AC, Fillet M, Van Hees T. Stability of 90 mg/mL cefuroxime sodium solution for administration by continuous infusion. *J Chemother.* 2018 Oct - Dec;30(6-8):371-374. .
44. Hecq JD, Boitquin LP, Vanbeckbergen DF, Jamart J, Galanti LM. Effect of Freezing, Long-Term Storage, and Microwave Thawing on the Stability of Ketorolac Tromethamine. *Ann Pharmacother.* 2005 Oct;39(10):1654-8. .
45. Kennedy R, Groepper D, Tagen M, Christensen R, Navid F, Gajjar A, Stewart CF. Stability of cyclophosphamide in extemporaneous oral suspensions. *Ann Pharmacother.* 2010 Feb;44(2):295-301. .
46. Li M, Forest JM, Coursol C, Leclair G. Stability of Cyclosporine Solutions Stored in Polypropylene-Polyolefin Bags and Polypropylene Syringes. *Am J Health Syst Pharm.* 2011 Sep 1;68(17):1646-50.
47. Yuan LC, Samuels CJ, Visor GC. Stability of Cidofovir in 0.9% Sodium Chloride Injection and in 5% Dextrose Injection. *Am J Health Syst Pharm.* 1996 Aug 15;53(16):1939-43. .
48. Christensen JM, Lee RY, Parrott KA. Stability of Three Oral Liquid Drug Products Repackaged in Unit Dose Containers. *Am J Hosp Pharm.* 1983 Apr;40(4):612-5.
49. Internal Laboratórios Basi study.
50. Karbownik A, Szałek E, Urjasz H, Głębocka A, Mierzwa E, Grzeškowiak E. The physical and chemical stability of cisplatin (Teva) in concentrate and diluted in sodium chloride 0.9%. *Contemp Oncol (Pozn).* 2012;16(5):435-9. .
51. Pujol Cubells M, Prat Aixela J, Girona Brumos V, Duran Pou S, Villaronga Flaque M. Stability of cisplatin in sodium chloride 0.9% intravenous solution related to the container's material. *Pharm World Sci.* 1993 Feb 19;15(1):34-6.
52. Zbrozek AS, Marble DA, Bosso JA, Bair JN, Townsend RJ. Compatibility and stability of clindamycin phosphate-aminoglycoside combinations within polypropylene syringes. *Drug Intell Clin Pharm.* 1987 Oct;21(10):806-10.
53. Kaiser J, Krämer I. Long-term Stability Study of Clofarabine Injection Concentrate and Diluted Clofarabine Infusion Solutions. *J Oncol Pharm Pract.* 2012 Jun;18(2):213-21. .
54. Storms ML, Stewart JT, Warren FW. Stability of succinylcholine chloride injection at ambient temperature and 4 deg C in polypropylene syringes. *Int J Pharm Compd.* 2003 Jan-Feb;7(1):68-70.
55. Huvelle S, Godet M, Hecq JD, Gillet P, Bihin B, Jamart J, Galanti L. Long-term stability of ketamine hydrochloride 50mg/ml injection in 3ml syringes. *Ann Pharm Fr.* 2016 Jul;74(4):283-7.
56. Ambados F, Brealey J. Compatibility of ketamine hydrochloride and fentanyl citrate in polypropylene syringes. *Am J Health Syst Pharm.* 2004 Jul 15;61(14):1438, 1445.
57. Jäppinen A, Turpeinen M, Kokki H, Rasi A, Ojanen T, Pelkonen O, Naaranlahti T. Stability of sufentanil and levobupivacaine solutions and a mixture in a 0.9% sodium chloride infusion stored in polypropylene syringes. *Eur J Pharm Sci.* 2003 May;19(1):31-6.
58. Sánchez-Rivera JP, García-Gómez A, Martí AM, Garrigues TM. Stability of a Parenteral Formulation of Betamethasone and Levobupivacaine. *J Pharm Technol.* 2015 Apr; 31(2): 58–63.
59. Stewart JT, Warren FW, Maddox FC, Viswanathan K, Fox JL. The stability of remifentanyl hydrochloride and propofol mixtures in polypropylene syringes and polyvinylchloride bags at 22 degrees-24 degrees C. *Anesth Analg.* 2000 Jun;90(6):1450-1.
60. Lebitasy M, Hecq JD, Vanbeckbergen D, Jamart J, Galanti L. Long-term stability of tramadol hydrochloride and droperidol mixture in 5% dextrose infusion polyolefin bags at 5+/-3 degrees C. *Ann Pharm Fr.* 2009 Jul;67(4):272-7.
61. Chen P, Chen F, Zhou B. Compatibility and stability of dezocine and tropisetron in 0.9% sodium chloride injection for patient-controlled analgesia administration. *Medicine (Baltimore).* 2018 Dec; 97(50): e13698.
62. Chen F, Shi X, Li P, Yang J, Zhou B. Stability of Butorphanol-Tropisetron Mixtures in 0.9% Sodium Chloride Injection for Patient-Controlled Analgesia Use. *Medicine (Baltimore).* 2015 Feb; 94(6): e432.
63. Kambia NK, Dine T, Dupin-Spriet T, Gressier B, Luyckx M, Goudaliez F, Brunet C. . Compatibility of nitroglycerin, diazepam and chlorpromazine with a new multilayer material for infusion containers. *Journal of Pharmaceutical and Biomedical Analysis,* 37(2), 259–264.
64. Sarsfield BA, Maloy JT. Short-term Chronoamperometric Screening of Chlorpromazine-Package Interactions. *J Pharm Sci.* 1998 Sep;87(9):1130-7.
65. D'Arcy PF. Drug Interactions with Medical Plastics. *Drug Intell Clin Pharm.* 1983 Oct;17(10):726-31.
66. Geary TG, Akood MA, Jensen JB. Characteristics of Chloroquine Binding to Glass and Plastic. *Am J Trop Med Hyg.* 1983 Jan;32(1):19-23.
67. Wood MJ, Irwin WJ, Scott DK. Stability of doxorubicin, daunorubicin and epirubicin in plastic syringes and minibags. *J Clin Pharm Ther.* 1990 Aug;15(4):279-89.
68. Negro S, Salama A, Sánchez Y, Azuara ML, Barcia E. Compatibility and Stability of Tramadol and Dexamethasone in Solution and Its Use in Terminally Ill Patients. *J Clin Pharm Ther.* 2007 Oct;32(5):441-4.
69. Gupta VD. Chemical Stability of Dexamethasone Sodium Phosphate After Reconstitution in 0.9% Sodium Chloride Injection and Storage in Polypropylene Syringes. *Int J Pharm Compd.* Sep-Oct 2002;6(5):395-7.
70. Jin SE, You S, Jeon S, Hwang SJ. Diazepam sorption to PVC- and non-PVC-based tubes in administration sets with quantitative determination using a high-performance liquid chromatographic method. *Int J Pharm.* 2016 Jun 15;506(1-2):414-9.

71. Martens HJ, De Goede PN, Van Loenen AC. Sorption of various drugs in polyvinyl chloride, glass, and polyethylene-lined infusion containers. *Am J Hosp Pharm.* 1990 Feb;47(2):369-73.
72. Sylvestri MF, Makoid MC, Adams SC. Stability of Dicloxacillin Sodium Oral Suspension Stored in Polypropylene Syringes. *Am J Hosp Pharm.* 1987 Jun;44(6):1401-5.
73. Kaushal G, Sayre BE, Prettyman T. Stability of Extemporaneously Compounded Diltiazem Hydrochloride Infusions Stored in Polyolefin Bags. *Am J Health Syst Pharm.* 2013 May 15;70(10):894-9.
74. Lardinois B, Dimitriou A, Delcave C, Soumoy L, Jamart J, Bihin B, Hecq JD, Galanti LM. Long-term Physicochemical Stability of Concentrated Solutions of Isosorbide Dinitrate in Polypropylene Syringes for Administration in the Intensive Care Unit. *Int J Pharm Compd.* Jan-Feb 2020;24(1):64-68.
75. Mynck CD, Remon JP, Colardyn F. The Sorption of Isosorbide Dinitrate to Intravenous Delivery Systems. *J Pharm Pharmacol.* 1988 Sep;40(9):601-4.
76. Sautou-Miranda V, Gremeau I, Chamard I, Cassagnes J, Chopineau J. Stability of dopamine hydrochloride and of dobutamine hydrochloride in plastic syringes and administration sets. *Am J Health Syst Pharm.* 1996 Jan 15;53(2):186, 193.
77. Yang J, Solimando DA, Waddell JA. Docetaxel and Cisplatin Regimen for Non-Small-Cell Lung Cancer. *Hosp Pharm.* 2013 Jul-Aug; 48(7): 550–557.
78. Braenden JU, Stendal TL, Fagermaes CB. Stability of Dopamine Hydrochloride 0.5 mg/mL in Polypropylene Syringes. *J Clin Pharm Ther.* 2003 Dec;28(6):471-4.
79. Wood MJ, Irwin WJ, Scott DK. Photodegradation of doxorubicin, daunorubicin and epirubicin measured by high-performance liquid chromatography. *J Clin Pharm Ther.* 1990 Aug;15(4):291-300.
80. McClusky SV, Lovely JK. Stability of Droperidol 0.625 mg/mL Diluted With 0.9% Sodium Chloride Injection and Stored in Polypropylene Syringes. *Int J Pharm Compd.* Mar-Apr 2011;15(2):170-5.
81. Pujol M, Muñoz M, Prat J, Girona V, De Bolós J. Stability study of epirubicin in NaCl 0.9% injection. *Ann Pharmacother.* 1997 Sep;31(9):992-5.
82. Pujol S, Bressolle F, Solassol I, Pinguet F. Stability of ready-to-use temsirolimus infusion solution (100mg/L) in polypropylene containers under different storage conditions. *Ann Pharm Fr.* 2012 May;70(3):155-62. .
83. Spindeldreier K, Thiesen J, Lipp HP, Krämer I. Physico-chemical Stability of Eribulin Mesylate Containing Concentrate and Ready-To-Administer Solutions. *J Oncol Pharm Pract.* 2014 Jun;20(3):183-9. .
84. Hecq JD, Rolin C, Godet C, Gillet P, Jamart J, Galanti LM. Long-term Stability of Esomeprazole in 5% Dextrose Infusion Polyolefin Bags at 5 Degrees C +/- 3 Degrees C After Microwave Freeze-thaw Treatment. *Int J Pharm Compd.* Nov-Dec 2015;19(6):521-4.
85. Demoré B, Vigneron J, Perrin A, Hoffman MA, Hoffman M. Leaching of diethylhexyl phthalate from polyvinyl chloride bags into intravenous etoposide solution. *J Clin Pharm Ther.* 2002 Apr;27(2):139-42.
86. Donnelly RF. Chemical stability of fentanyl in polypropylene syringes and polyvinylchloride bags. *Int J Pharm Compd.* 2005 Nov-Dec;9(6):482-3.
87. Anderson C, MacKay M. Stability of Fentanyl Citrate, Hydromorphone Hydrochloride, Ketamine Hydrochloride, Midazolam, Morphine Sulfate, and Pentobarbital Sodium in Polypropylene Syringes. *Pharmacy (Basel).* 2015 Dec 16;3(4):379-385.
88. Xu F, Xu G, Su L, Feng E. Stability and Compatibility of Doxofylline With Phentolamine Mesilate in 0.9% Sodium Chloride or 5% Dextrose Injection for Intravenous Infusion. *J Clin Pharm Ther.* 2011 Feb;36(1):99-102.
89. Baud-Camus F, Crauste-Manciet S, Klein E, Richard L, Brossard D. Stability of Fluorouracil in Polypropylene Syringes and Ethylene Vinyl Acetate Infusion-Pump Reservoirs. *Am J Health Syst Pharm.* 1996 Jun 15;53(12):1457, 1461.
90. Fischer JH, Cwik MJ, Luer MS, Sibley CB, Deyo KL. Stability of Fosphenytoin Sodium With Intravenous Solutions in Glass Bottles, Polyvinyl Chloride Bags, and Polypropylene Syringes. *Ann Pharmacother.* 1997 May;31(5):553-9.
91. Guichard N, Bonnabry P, Rudaz S, Fleury-Souverain S. Long-term stability of ganciclovir in polypropylene containers at room temperature. *J Oncol Pharm Pract.* 2017 Jan 1:1078155217732629. .
92. Quercia RA, Zhang J, Fan C, Chow MS. Stability of Granisetron Hydrochloride in Polypropylene Syringes. *Am J Health Syst Pharm.* 1996 Nov 15;53(22):2744-6. .
93. Pinguet F, Rouanet P, Martel P, Fabbro P, Salabert D, Astre C. Compatibility and Stability of Granisetron, Dexamethasone, and Methylprednisolone in Injectable Solutions. *J Pharm Sci.* 1995 Feb;84(2):267-8. .
94. Mayron D, Gennaro AR. Stability and Compatibility of Granisetron Hydrochloride in i.v. Solutions and Oral Liquids and During Simulated Y-site Injection With Selected Drugs. *Am J Health Syst Pharm.* 1996 Feb 1;53(3):294-304. .
95. Tunbridge LJ, Lloyd JV, Penhall RK, Wise AL, Maloney T. Stability of diluted heparin sodium stored in plastic syringes. *Am J Hosp Pharm.* 1981 Jul;38(7):1001-4.
96. Sautou V, Chopineau J, Gremeau I, Chevrier R, Bruneaus F. Compatibility with medical plastics and stability of continuously and simultaneously infused isosorbide dinitrate and heparin. *International Journal of Pharmaceutics.* 107:2 (1994) 111-119.
97. Rigge DC, Jones MF. Shelf Lives of Aseptically Prepared Medicines--Stability of Hydrocortisone Sodium Succinate in PVC and non-PVC Bags and in Polypropylene Syringes. *J Pharm Biomed Anal.* 2005 Jun 15;38(2):332-6. .
98. Gupta VD, Ling J. Stability of Hydrocortisone Sodium Succinate After Reconstitution in 0.9% Sodium Chloride Injection and Storage in Polypropylene Syringes for Pediatric Use. *Int J Pharm Compd.* Sep-Oct 2000;4(5):396-7.
99. Melberg SG, Havelund S, Villumsen J, Brange J. Insulin Compatibility With Polymer Materials Used in External Pump Infusion Systems. *Diabet Med.* 1988 Apr;5(3):243-7.
100. Tarr BD, Campbell RK, Workman TM. Stability and Sterility of Biosynthetic Human Insulin Stored in Plastic Insulin Syringes for 28 Days. *Am J Hosp Pharm.* 1991 Dec;48(12):2631-4.
101. Schepart BS, Burns BA, Evans S, Poleon GP. Long-term Stability of Interferon alfa-2b Diluted to 2 Million units/mL. *Am J Health Syst Phar.* 1995 Oct 1;52(19):2128-30.
102. Bourget P, Moriceau A, Amin A, et al. Stability of irinotecan and sodium levofolinate admixtures in polyolefin bags: clinical and nursing considerations. *Eur J Hosp Pharm Sci Pract* 2011; 17: 66–69.
103. Pascuet E, Donnelly RF, Garceau D, Vaillancourt R. Buffered Lidocaine Hydrochloride Solution With and Without Epinephrine: Stability in Polypropylene Syringes. *Can J Hosp Pharm.* 2009 Sep-Oct; 62(5): 375–380.
104. Storms ML, Stewart JT, Warren FW. Stability of Lidocaine Hydrochloride Injection at Ambient Temperature and 4 Deg C in Polypropylene Syringes. *Int J Pharm Compd.* Sep-Oct 2002;6(5):388-90.
105. Trissel LA, Pearson SD. Storage of Lorazepam in Three Injectable Solutions in Polyvinyl Chloride and Polyolefin Bags. *Am J Hosp Pharm.* 1994 Feb 1;51(3):368-72.
106. Share MJ, Harrison RD, Folstad J, Fleming RA. Stability of Lorazepam 1 and 2 mg/mL in Glass Bottles and Polypropylene Syringes. *Am J Health Syst Pharm.* 1998 Oct 1;55(19):2013-5.
107. Bosanquet AG. Stability of Melphalan Solutions During Preparation and Storage. *J Pharm Sci.* 1985 Mar;74(3):348-51.

108. Goren MP, Lyman BA, Li JT. The stability of mesna in beverages and syrup for oral administration. *Cancer Chemother Pharmacol.* 1991;28(4):298-301.
109. Gupta VC. Chemical Stability of Metoclopramide Hydrochloride Injection Diluted With 0.9% Sodium Chloride Injection in Polypropylene Syringes at Room Temperature. *Int J Pharm Compd.* Jan-Feb 2005;9(1):72-4.
110. Zhang Y, Trissel LA, Martinez JF, Gilbert DL. Stability of Metoclopramide Hydrochloride in Plastic Syringes. *Am J Health Syst Pharm.* 1996 Jun 1;53(11):1300-2.
111. Respaud R, Gaudy AS, Arlicot C, Tournamille JF, Viaud-Massuard MC, Elfakir C, Antier D. Implementation study of patient-ready syringes containing 25 mg/mL methotrexate solution for use in treating ectopic pregnancy. *Biomed Res Int.* 2014;2014:689308.
112. Karlage K, Earhart Z, Green-Boesen K, Myrdal PB. Stability of Midazolam Hydrochloride Injection 1-mg/mL Solutions in Polyvinyl Chloride and Polyolefin Bags. *Am J Health Syst Pharm.* 2011 Aug 15;68(16):1537-40. .
113. Gilliot S, Masse M, Feutry F, Barthélémy C, Décaudin B, Genay S, Odou P. Long-term Stability of Ready-To-Use 1-mg/mL Midazolam Solution. *Am J Health Syst Pharm.* 2020 Apr 27;77(9):681-689. .
114. Stiles ML, Allen Jr LV, Prince SJ. Stability of Deferoxamine Mesylate, Floxuridine, Fluorouracil, Hydromorphone Hydrochloride, Lorazepam, and Midazolam Hydrochloride in Polypropylene Infusion-Pump Syringes. *Am J Health Syst Pharm.* 1996 Jul 1;53(13):1583-8.
115. Wilson TD, Forde MD, Crain AV, Dombrowski LJ, Joyce MA. Stability of Milrinone in 0.45% Sodium Chloride, 0.9% Sodium Chloride, or 5% Dextrose Injections. *Am J Hosp Pharm.* 1986 Sep;43(9):2218-20.
116. Briot T, Truffaut C, Le Quay L, Lebreton A, Lagarce F. Stability of Reconstituted and Diluted Mitomycin C Solutions in Polypropylene Syringes and Glass Vials. *Pharmaceutical Technology in Hospital Pharmacy*, 1(2), 2016.
117. Trissel, L.A. *Handbook on Injectable Drugs*. 9th ed. Bethesda, MD. American Society of Health-System Pharmacists' Product Development. 1996., p. 758.
118. Nguyen-Xuan T, Mrpharms WG, Kern C, Gessel EV, Bonnabry P. Stability of Morphine Sulfate in Polypropylene Infusion Bags for Use in Patient-Controlled Analgesia Pumps for Postoperative Pain Management. *Int J Pharm Compd.* Jan-Feb 2006;10:69-73.
119. Mehta S, Armstrong BK, Kim SJ, Toma H, West JN, Yin H, Lu P, Wayman LL, Recchia FM, Sternberg P Jr. Long-term potency, sterility, and stability of vancomycin, ceftazidime, and moxifloxacin for treatment of bacterial endophthalmitis. *Retina.* 2011 Jul-Aug;31(7):1316-22.
120. McCluskey SV, Vu N, Rueter J. Stability of Nitroglycerin 110 mcg/mL Stored in Polypropylene Syringes. *Int J Pharm Compd.* Nov-Dec 2013;17(6):515-9.
121. Driver PS, Jarvi EJ, Gratzler PL. Stability of Nitroglycerin as Nitroglycerin Concentrate for Injection Stored in Plastic Syringes. *Am J Hosp Pharm.* 1993 Dec;50(12):2561-3.
122. Anderson CR, Collins D, Laursen T, Arave T, Helm M. Stability of Sodium Nitroprusside in 5% Dextrose Stored at 4°C in Polypropylene Syringes Protected From Light. *Int J Pharm Compd.* . Sep-Oct 2016;20(5):435-437.
123. Stiles ML, Allen Jr LV, Resztak KE, Prince SJ. Stability of Octreotide Acetate in Polypropylene Syringes. *Am J Pharm Hosp.* 1993 Nov;50(11):2356-8.
124. Casto DT. Stability of Ondansetron Stored in Polypropylene Syringes. *Ann Pharmacother.* 1994 Jun;28(6):712-4.
125. Eiden C, Philibert L, Bekhtari K, Poujol S, Malosse F, Pinguet F. Physicochemical stability of oxaliplatin in 5% dextrose injection stored in polyvinyl chloride, polyethylene, and polypropylene infusion bags. *Am J Health Syst Pharm.* 2009 Nov 1;66(21):1929.
126. Kaushal G, Sayre BE, Prettyman T. Stability-indicating HPLC method for the determination of the stability of oxytocin parenteral solutions prepared in polyolefin bags. *Drug Discov Ther.* 2012 Feb;6(1):49-54.
127. Akin JM, Waddell JA, Solimando DA Jr. Paclitaxel and Carboplatin (TC) Regimen for Ovarian Cancer. *Hosp Pharm.* 2014 May;49(5):425-31. .
128. Kufe DW, Pollock RE, Weichselbaum RR, et al. *The Taxanes. Holland-Frei Cancer Medicine.* 6th edition.
129. Rogers BB. Nursing Implications in the Administration of Paclitaxel (TAXOL). *Semin Oncol Nurs.* 1993 Nov;9(4 Suppl 2):11-5. .
130. Donnelly RF. Stability of Pantoprazole Sodium in Glass Vials, Polyvinyl Chloride Minibags, and Polypropylene Syringes. *Can J Hosp Pharm.* 2011 May;64(3):192-8. .
131. Kwiatkowski JL, Johnson CE, Wagner DS. Extended Stability of Intravenous Acetaminophen in Syringes and Opened Vials. *Am J Health Syst Pharm.* 2012 Nov 15;69(22):1999-2001. .
132. D'Huart E, Vigneron J, Morice S, Lider P, Demoré B. Pemetrexed stability: additional information about microparticles. *Eur J Hosp Pharm.* 2019 Jan;26(1):56. .
133. Donnelly RF, Bushfield TL. Chemical Stability of Meperidine Hydrochloride in Polypropylene Syringes. *Int J Pharm Compd.* Nov-Dec 1998;2(6):463-5.
134. Gupta VD, Ling J. Stability of piperacillin sodium after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes for pediatric use. *Int J Pharm Compd.* 2001 May-Jun;5(3):230-1.
135. Rigge DC, Jones MF. Shelf lives of aseptically prepared medicines--stability of piperacillin/tazobactam in PVC and non-PVC bags. *J Pharm Biomed Anal.* 2005 Sep 1;39(1-2):339-43. .
136. Rigge DC, Jones MF. Shelf lives of aseptically prepared medicines – stability of piperacillin/tazobactam in PVC and non-PVC bags. *J Pharm Biomed Anal* 2005;39:339–43.
137. Curti C, Souab HK, Lamy E, Mathias F, Bornet C, Guinard B, Fersing C, Primas N, Albanese J, Vanelle P. Stability Studies of Antipyocyanic Beta-Lactam Antibiotics Used in Continuous Infusion. *Pharmazie.* 2019 Jun 1;74(6):357-362.
138. Gupta VD. Chemical Stability of Pyridoxine Hydrochloride 100-mg/mL Injection, Preservative Free. *Int J Pharm Compd.* Jul-Aug 2006;10(4):318-9.
139. Stewart JT, Warren FW, Maddox FC, Viswanathan K, Fox JL. The Stability of Remifentanyl Hydrochloride and Propofol Mixtures in Polypropylene Syringes and Polyvinylchloride Bags at 22 degrees-24 Degrees C. *Anesth Analg.* 2000 Jun;90(6):1450-1.
140. Sall JW, Leong J. Stability of Propofol in Polystyrene-Based Tissue Culture Plates. *Anesth Analg.* 2013 Jul; 117(1): 65–67.
141. Chernin EL, Stewart JT, Smiler B. Stability of Thiopental Sodium and Propofol in Polypropylene Syringes at 23 and 4 Degrees C. *Am J Health Syst Pharm.* 1996 Jul 1;53(13):1576-9.
142. Cummings DS, Park MK, Howard AB. Compatibility of Propranolol Hydrochloride Injection With Intravenous Infusion Fluids in Plastic Containers. *Am J Hosp Pharm.* 1982 Oct;39(10):1685-7.
143. Nahata MC, Morosco RS, Fox J. Stability of Ranitidine Hydrochloride in Water for Injection in Glass Vials and Plastic Syringes. *Am J Health Syst Pharm.* 1996 Jul 1;53(13):1588-90.

144. Lamanna WC, Heller K, Schneider D, Guerrasio R, Hampf V, Fritsch C, Schiestl M. The in-use stability of the rituximab biosimilar Rixathon®/Riximyo® upon preparation for intravenous infusion. *J Oncol Pharm Pract.* 2019 Mar;25(2):269-278.
145. Vieillard V, Paul M, Ibrahim T, Astier A. Extended stability of the rituximab biosimilar CT-P10 in its opened vials and after dilution and storage in polyolefin bags. *Ann Pharm Fr.* 2017 Nov;75(6):420-435.
146. Sorrieul J, Robert J, Chapel F, Gossye T, Devys C. Physicochemical Stability of Ternary Mixtures of Sufentanil, Baclofen, and Ropivacaine in Polypropylene Syringes for Intrathecal Analgesia. *Int J Pharm Compd.* 2020 Mar-Apr;24(2):156-162.
147. Robustelli della Cuna FS, Mella M, Magistrali G, Ricci M, Losurdo A, Goglio AM. Stability and compatibility of methylprednisolone acetate and ropivacaine hydrochloride in polypropylene syringes for epidural administration. *Am J Health Syst Pharm.* 2001 Sep.
148. Gupta VD. Chemical stability of methylprednisolone sodium succinate after reconstitution in 0.9% sodium chloride injection and storage in polypropylene syringes. *Int J Pharm Compd.* 2001 Mar-Apr;5(2):148-50.
149. Jäppinen A, Turpeinen M, Kokki H, Rasi A, Ojanen T, Pelkonen O, Naaranlahti T. Stability of Sufentanil and Levobupivacaine Solutions and a Mixture in a 0.9% Sodium Chloride Infusion Stored in Polypropylene Syringes. *Eur J Pharm Sci.* 2003 May;19(1):31-6.
150. Jappinen AL, Kokki H, Rasi AS, Naaranlahti TJ. Stability of Sufentanil in a Syringe Pump Under Simulated Epidural Infusion. *Int J Pharm Compd.* Nov-Dec 1998;2(6):466-8.
151. Kaufman MB, Scavone JM, Foley JJ. Stability of Undiluted Trimethoprim-Sulfamethoxazole for Injection in Plastic Syringes. *Am J Hosp Pharm.* 1992 Nov;49(11):2782-3.
152. Houlihan S, Decarie D, Benes C, Cleve R, Vidler M, Magee LA, Ensom MHH, von Dadelzen P. Magnocaine: Physical Compatibility and Chemical Stability of Magnesium Sulphate and Lidocaine Hydrochloride in Prefilled Syringes. *J Obstet Gynaecol Can.* 2016 Oct; 38(10): 936-944.e3.
153. Beauregard N, Bertrand N, Dufour A, Blaizel O, Leclair G. Physical compatibility of calcium gluconate and magnesium sulfate injections. *American Journal of Health-System Pharmacy*, Volume 69, Issue 2, 15 January 2012, Page 98.
154. Taormina D, Abdallah HY, Venkataramanan R, Logue L, Burckart GJ, Ptachcinski RJ, Todo S, Fung JJ, Starzl TE. Stability and Sorption of FK 506 in 5% Dextrose Injection and 0.9% Sodium Chloride Injection in Glass, Polyvinyl Chloride, and Polyolefin Containers. *Am J Pharm Hosp.* 1992 Jan;49(1):119-22.
155. Ezquer-Garin C, Ferriols-Lisart R, Alós-Almiñana M. Stability of Tacrolimus Ophthalmic Solution. *Am J Health Syst Pharm.* 2017 Jul 1;74(13):1002-1006.
156. Li X, Ding X, Bian C, Wu S, Chen M, Wang W, Wang J, Cheng L. Hydrophobic Drug Adsorption Loss to Syringe Filters From a Perspective of Drug Delivery. *J Pharmacol Toxicol Methods.* Jan-Feb 2019;95:79-85.
157. Faouzia MA, Dinea T, Luyckx M, Gressier B, Goudaliez F, Mallevais ML, Bruneta C, Cazina M, Cazina C. Leaching of diethylhexyl phthalate from PVC bags into intravenous teniposide solution. *International Journal of Pharmaceutics*, Vol. 105:1, 89- 93 1994.
158. Ribeiro DO, Pinto DC, Lima LM, Volpato NM, Cabral LM, de Sousa VP. Chemical stability study of vitamins thiamine, riboflavin, pyridoxine and ascorbic acid in parenteral nutrition for neonatal use. *Nutr J.* 2011; 10: 47.
159. Xu QA, Trissel LA, Zhang Y, Martinez JF, Gilbert DL. Stability of thiotepa (lyophilized) in 5% dextrose injection at 4 and 23 degrees C. *Am J Health Syst Pharm.* 1996 Nov 15;53(22):2728-30.
160. Craig SB, Bhatt UH, Patel K. Stability and compatibility of topotecan hydrochloride for injection with common infusion solutions and containers. *J Pharm Biomed Anal.* 1997 Oct;16(2):199-205.
161. Stewart JT, Storms ML, Warren FW. Stability of Tubocurarine Chloride Injection at Ambient Temperature and 4 Deg C in Polypropylene Syringes. *Int J Pharm Compd.* Jul-Aug 2002;6(4):308-10.
162. Patel JP, Tran LT, Sinai WJ, Carr LJ. Activity of Urokinase Diluted in 0.9% Sodium Chloride Injection or 5% Dextrose Injection and Stored in Glass or Plastic Syringes. *Am J Hosp Pharm.* 1991 Jul;48(7):1511-4.
163. Mehta S, Armstrong BK, Kim SJ, Toma H, West JN, Yin H, Lu P, Wayman LL, Recchia FM, Sternberg P Jr. Long-term potency, sterility, and stability of vancomycin, ceftazidime, and moxifloxacin for treatment of bacterial endophthalmitis. *Retina.* 2011 Jul-Aug;31(7):1316-22.
164. d'Huart É, Vigneron J, Charmillon A, Clarot I, Demoré B. Physicochemical Stability of Vancomycin at High Concentrations in Polypropylene Syringes. *Can J Hosp Pharm.* 2019 Sep-Oct;72(5):360-368.
165. Salomies HEM, Heinonen RM, Toppila MAI. Sorptive loss of diazepam, nitroglycerin and warfarin sodium to polypropylene-lined infusion bags (Softbags). *International Journal of Pharmaceutics*, Volume 110, Issue 2, 19 September 1994, Pages 197-201.
166. Chan CM, Frimberger AE, Moore AS. A literature review of reports of the stability and storage of common injectable chemotherapy agents used in veterinary patients. *Veterinary and Comparative Oncology*, Volume 15, issue 4, December 2017. Pages 1124-1135.
167. Girona V, Prat J, Pujol M, Muñoz M. Stability of vinblastine sulphate in 0.9% sodium chloride in polypropylene syringes. *Boll Chim Pharm.* Jul-Aug 1996;135(7):413-4.
168. Johnson CE, Truong NM. (1999). Stability and Compatibility of Tacrolimus and Fluconazole in 0.9% Sodium Chloride. *Journal of the American Pharmaceutical Association* (1996), 39(4), 505-508.